

P A T E N T

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Lex P. Jansen et al. Confirmation No. 6058
Patent No.: 7,104,979 Issued: September 12, 2006
Serial No.: 10/079,103 Filed: February 19, 2002
Docket No.: 1001.1682102 Customer No.: 28075
For: CATHETER WITH COMPOSITE STIFFENER

Attention Certificate of Correction Branch
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR
PTO MISTAKE (37 CFR 1.322(a))**

CERTIFICATE FOR ELECTRONIC TRANSMISSION:

The undersigned hereby certifies that this paper or papers, as described herein, are being electronically transmitted to the U.S. Patent and Trademark Office on this 23rd day of October 2006.

By Kathleen L. Boekley
Kathleen L. Boekley

Sir:

Accompanying this Request is Form PTO/SB/44. The exact page and line number where the errors are shown correctly in the application file are:

Originally filed Application: line 20 of page 11.

Amendment filed February 24, 2006: page 2: line 2 of claim 44; page 3: line 2 of claim 51; line 2 of claim 60; page 4: line 1 of claim 61; lines 3-4 of claim 66; line 2 of claim 68; page 5: line 2 of claim 70; page 7: line 1 of claim 85.

Please send the Certificate to Customer No. 28075

Respectfully submitted,

Lex P. Jansen et al.

By their Attorney,

David M. Crompton
David M. Crompton, Reg. No. 36,772
CROMPTON, SEAGER & TUFTE, LLC
1221 Nicollet Avenue, Suite 800
Minneapolis, MN 55403-2420
Telephone: (612) 677-9050
Facsimile: (612) 359-9349

Dated: 10/23/06

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,104,979

APPLICATION NO.: 10/079,103

ISSUE DATE : September 12, 2006

INVENTOR(S) : Lex P. Jansen et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7

Line 21, delete "theremoplastic" and insert therefor -- thermoplastic

Column 8

Line 42, delete "tabular" and insert therefor -- tubular --.

Column 9

Line 5, delete "sniffeners" and insert therefor -- stiffeners --.

Line 21, delete "superelasric" and insert therefor -- superelastic --.

Line 22, delete "superelasric" and insert therefor -- superelastic --.

Line 37, delete "polyfluorocarbons" and insert therefor -- polyfluorocarbons --.

Line 38, delete "styrene-ethylenelbutylene-styrene" and insert therefor -- styrene-ethylene/butylene-styrene --.

Lines 39-40, delete "terephthalate" and insert therefor -- terephthalate --.

Line 48, delete "polyamide, polyamide" and insert therefor -- polyimide, polyamide --.

Line 58, delete "coven" and insert therefor -- covers --.

Column 10

Line 48, delete "caterer" and insert therefor -- catheter --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Crompton, Seager & Tufte, LLC
1221 Nicollet Avenue, Suite 800
Minneapolis, MN 55403-2420

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**